	Hits	Search Text	DB	Time stamp
- 7	788	340/310.01	USPAT	2001/10/24 09:01
-	14	340/310.01 and (powerline and trans\$)	USPAT	2001/10/09 13:19
-	45	powerline adj3 communication	USPAT	2001/10/09 13:27
-	788	340/310.01	USPAT	2001/10/09 13:27
-	14	(340/310.01 and (receiver and filter)) and powerline	USPAT	2001/10/09 13:27
-	163	340/310.01 and (receiver and filter)	USPAT	2001/10/09 13:42
-	16	(340/310.01 and (receiver and filter)) and resonant	USPAT	2001/10/23 16:22
-	20	(powerline\$ (power near1 line\$)) and communication and transmitter	USPAT	2001/10/09 15:29
		and (resonant adj2 circuit) and receiver and filter and frequency and		
		shift and keying and \$modulat\$		
-	. 6	4653073.URPN.	USPAT	2001/10/09 14:18
-	3563	(power adj2 distribution) and communication	USPAT	2001/10/09 15:30
_	119	((power adj2 distribution) and communication) and (resonant adj2	USPAT	2001/10/09 15:30
		frequency)		
_	49	(((power adj2 distribution) and communication) and (resonant adj2	USPAT	2001/10/09 15:42
	.,	frequency)) and (receiver and filter)		2001.10.05 15.12
_	27	4012734.URPN.	USPAT	2001/10/09 15:36
_	20	(((power adj2 distribution) and communication) and (resonant adj2	USPAT	2001/10/09 15:51
_	20	frequency)) and (carrier adj2 signal)	OSIAI	2001/10/09 13.51
_	34	3942168.URPN.	USPAT	2001/10/23 16:16
_	379	(power adj2 line) and communication and resonant and transmit\$ and	USPAT	2001/10/23 16:16
-	319	receiv\$	USPAI	2001/10/23 10:24
	127		LICDAT	2001/10/22 16:25
-	127	((power adj2 line) and communication and resonant and transmit\$ and	USPAT	2001/10/23 16:25
	27	receiv\$) and (carrier adj2 frequency)	LIODATE	2001/10/02 16 26
-	37	(((power adj2 line) and communication and resonant and transmit\$ and	USPAT	2001/10/23 16:25
	22	receiv\$) and (carrier adj2 frequency)) and filter and demodulator	1100 400	2001/10/02 15 22
-	22	4040046.URPN.	USPAT	2001/10/23 17:32
-	8562	(power adj2 line) and communication	USPAT	2001/10/24 09:01
-	1	((power adj2 line) and communication) and (transmitter same (resonant	USPAT	2001/10/24 09:04
		adj2 circuit) same (carrier adj2 frequency) same modulat\$)		
-	17	3914757.URPN.	USPAT	2001/10/24 09:05
-	790	340/310.01	USPAT	2001/10/24 09:11
-	0	340/310.01 and (transmitter same (resonant adj2 circuit) same	USPAT	2001/10/24 09:13
		modulat\$)	i	
-	1	340/310.01 and (transmitter same (resonant adj2 circuit))	USPAT	2001/10/24 09:14
-	285	340/310.01 and (transmitter and receiver)	USPAT	2001/10/24 09:14
-	54	(340/310.01 and (transmitter and receiver)) and filter and \$modulator	USPAT	2001/10/24 09:15
-	40	((340/310.01 and (transmitter and receiver)) and filter and \$modulator)	USPAT	2001/10/24 09:15
		and (carrier adj2 (signal frequency))		
-	8562	(power adj2 line) and communication	USPAT	2001/10/24 10:41
-	833	((power adj2 line) and communication) and (transmitter same (switch	USPAT	2001/10/24 10:42
		transistor))		
-	105	(((power adj2 line) and communication) and (transmitter same (switch	USPAT	2001/10/24 13:06
		transistor))) and resonant		
-	64	((((power adj2 line) and communication) and (transmitter same (switch	USPAT	2001/10/24 13:18
		transistor))) and resonant) and (\$modulat\$)		
-	8562	(power adj2 line) and communication	USPAT	2001/10/24 13:22
-	34	((power adj2 line) and communication) and (transmitter same transistor)	USPAT	2001/10/24 13:32
		and resonant and carrier		
-	254	((power adj2 line) and communication) and (transmitter same transistor)	USPAT	2001/10/24 13:33
-	34	(((power adj2 line) and communication) and (transmitter same	USPAT	2001/10/24 13:34
		transistor)) and resonant and carrier		
	267	((power adj2 line) and communication) and (transmitter and (fet (field	USPAT	2001/10/24 13:34
ļ		adj2 effect adj2 transistor)))		
-	66	(((power adj2 line) and communication) and (transmitter and (fet (field	USPAT	2001/10/24 13:35
ĺ		adj2 effect adj2 transistor)))) and resonant		
	0	(data adj2 carrier) and (power adj2 distribution adj2 transformer) and	USPAT	2001/11/07 08:39
-		(resonant adj2 (circuit network)) and (phase adj2 detect\$) and	l	1
-		(resonant autz (chicuit network)) and (bhase aniz delects) and		l.
-				
-	348	\$modulat\$	USPAT	2001/11/07 08:30
-	348 200		USPAT USPAT	2001/11/07 08:39 2001/11/07 08:40

-	10	((((power near1 line) adj2 communication) and transformer) and	USPAT	2001/11/07 08:50
		resonant) and fsk	l	
-	25673	power near1 line	USPAT	2001/11/07 08:50
-	4	(power near1 line) and (transmit\$ adj2 signal) and (phase adj2 detect\$) and FSK and \$modulat\$ and resonant	USPAT	2001/11/07 08:59
_	124	(power near1 line) and (transmit\$ adj2 signal) and (phase adj2 detect\$)	USPAT	2001/11/07 09:01
_	13	((power near1 line) and (transmit\$ adj2 signal) and (phase adj2	USPAT	2001/11/07 09:02
-	"	detect\$)) and (resonant adj2 circuit)	001711	2001/11/07 05:02
	793	340/310.01	USPAT	2001/11/07 09:29
-	1		USPAT	2001/11/07 09:29
-	282	340/310.01 and coupling		
-	131	(340/310.01 and coupling) and \$modulat\$	USPAT	2001/11/07 09:45
	30	((340/310.01 and coupling) and \$modulat\$) and fsk	USPAT	2001/11/07 09:45
-	1	5717685.pn. and digital	USPAT	2001/11/13 14:36
-	7072	(power near1 line) and communication	USPAT	2001/11/13 14:37
-	0	((power near1 line) and communication) and (multiple adj2 time adj2	USPAT	2001/11/13 15:05
		dependent)		
-	0	(((power near1 line) and communication) and (digital adj2 algorithm))	USPAT	2001/11/13 15:05
Ì		and (time adj2 dependent)		
-	10	((power near1 line) and communication) and (digital adj2 algorithm)	USPAT	2001/11/13 15:05
1_	1	5717685.pn.	USPAT	2001/11/13 17:17
_	0	5717685.pn. and amplify	USPAT	2001/11/13 17:17
-	1			
-	0	5717685.pn. and amplif\$	USPAT	2001/11/13 17:17
-	1	4885563.pn.	USPAT	2001/11/14 08:52
-	1	4885563.pn. and amplif\$	USPAT	2001/11/14 08:55
-	7	(powerline adj2 communication) and ((carrier adj2 frequency) same	USPAT	2001/11/14 08:56
		amplif\$)		
_	44	powerline adj2 communication	USPAT	2002/04/30 15:00
	0	(powerline adj2 communication) and (\$linear adj2 switch)	USPAT	2002/04/30 15:02
i _	839	340/310.01	USPAT	2002/04/30 15:02
	16	340/310.01 and (non adj2 linear)	USPAT	2002/04/30 15:02
-				
-	8	(340/310.01 and (non adj2 linear)) and switch	USPAT	2002/04/30 15:04
-	1	5717685.pn.	USPAT	2002/04/30 15:04
-] 1	5717685.pn. and (non adj2 linear)	USPAT	2002/04/30 16:55
-	1	(powerline adj2 communication) and (field adj2 effect adj2 transistor) and switch\$	USPAT	2002/04/30 16:59
-	839	340/310.01	USPAT	2002/04/30 16:59
İ_	25	340/310.01 and (field adj2 effect adj2 transistor)	USPAT	2002/04/30 17:00
-	21	(340/310.01 and (field adj2 effect adj2 transistor)) and switch\$	USPAT	•
-				2002/04/30 17:01
-	3	powerline and (solid adj2 state adj2 switch\$) and (carrier adj2 frequency)	USPAT	2002/05/01 09:52
_	17	4270206.URPN.	USPAT	2002/05/01 09:54
_	1	5717685.pn.	USPAT	2002/05/06 10:45
-				
-	1	5717685.pn. and compar\$	USPAT	2002/05/06 14:16
-	4946	(power adj2 line) and frequency and comparison	USPAT	2002/05/06 14:23
-	1022	((power adj2 line) and frequency and comparison) and synchronization	USPAT	2002/05/06 14:24
-	46	((power adj2 line) and frequency and comparison) and (synchronization adj2 input)	USPAT	2002/05/06 14:34
_	400	(power adj2 line) adj2 communication	USPAT	2002/05/06 14:35
	2	((power adj2 line) adj2 communication) and (synchronization adj2	USPAT	2002/05/06 14:36
		input) and comparison and frequency		
-	1119	340/310.01	USPAT; EPO; JPO;	2002/12/18 14:26
			DERWENT	
	54	340/310.01 and (switching adj2 circuit)		2002/12/19 14:26
1 -	34	370/310.01 and (Switching adjz chedit)	USPAT;	2002/12/18 14:26
			EPO; JPO;	
			DERWENT	
-	7	(340/310.01 and (switching adj2 circuit)) and (stor\$ same energy)	USPAT;	2002/12/18 14:35
			ЕРО; ЈРО;	
			DERWENT	
-	1153	340/310.01	USPAT;	2003/05/05 14:30
		·	EPO; JPO;	
1			DERWENT	
	l	<u> </u>	DUCKANDIAI	<u> </u>

	T-0.			T = 0.0 10 2 10 2 1 1 2 0
-	158	340/310.01 and transceiver	USPAT;	2003/05/05 14:30
			ЕРО; ЛРО;	
			DERWENT	
_	78	(340/310.01 and transceiver) and filter	USPAT;	2003/05/05 16:35
		,	ЕРО, ЛРО,	
			DERWENT	
_	0	6549120.URPN.	USPAT	2003/05/05 14:32
-	1		USPAT	2003/05/05 14:32
-	30	("3942170" "4040046" "4142178" "4300126" "4323882"	USPAI	2003/03/03 14.32
		"4371867" "4378533" "4419758" "4468792" "4517548"		
		"4538136" "4556864" "4556866" "4633218" "4636771"		
		"4714912" "4885563" "5404127" "5406249" "5424709"		
		"5467011" "5485040" "5644598" "5717685" "5757177"		
		"5777769" "5870016" "6069457" "6115429" "6157292").PN.		
_	3	6115429.URPN.	USPAT	2003/05/05 14:32
_		6441723.URPN.	USPAT	2003/05/05 14:39
-	1		USPAT	
-	12	("4057793" "4429299" "4668934" "4675668" "4755792"	USPAT	2003/05/05 14:39
		"4804938" "4907222" "5101191" "5185591" "5491463"		
		"5680445" "5905442").PN.		
-	47	4429299.URPN.	USPAT	2003/05/05 14:40
_	0	6331814.URPN.	USPAT	2003/05/05 14:46
_	9	("5396555" "5559377" "5598455" "5818127" "5949327"	USPAT	2003/05/05 14:46
	1	"5994998" "6140911" "6157292" "6185262").PN.		
	267		LICDAT.	2003/05/05 16:35
-	367	340/310.01 and computer	USPAT;	2003/03/03 16:33
			ЕРО; ЛРО;	
			DERWENT	
-	314	(340/310.01 and computer) and communicati\$	USPAT;	2003/05/05 16:36
		• /	ЕРО, ЈРО;	
	1		DERWENT	
	201	((340/310.01 and computer) and communicati\$) and data and (coupling	USPAT;	2003/05/05 16:37
-	201			2003/03/03 10.37
		coupler plug)	ЕРО; ЛРО;	
			DERWENT	
-	114	(((340/310.01 and computer) and communicati\$) and data and (coupling	USPAT;	2003/05/05 16:37
		coupler plug)) and filter	ЕРО; ЛРО;	
	1	1 1 5//	DERWENT	
_	96	(((((340/310.01 and computer) and communicati\$) and data and	USPAT;	2003/05/05 16:38
	1	((coupling coupler plug)) and filter) and (transceiver (transmitter and	ЕРО; ЛРО;	2003/03/03 10:50
	0.2	receiver))	DERWENT	2002/05/05 15 20
-	93	(((((340/310.01 and computer) and communicati\$) and data and	USPAT;	2003/05/05 16:39
	}	(coupling coupler plug)) and filter) and (transceiver (transmitter and	ЕРО; ЛРО;	
		receiver))) and frequency	DERWENT	
-	68	(((((((340/310.01 and computer) and communicati\$) and data and	USPAT;	2003/05/05 16:39
		(coupling coupler plug)) and filter) and (transceiver (transmitter and	ЕРО, ЛРО,	
		receiver))) and frequency) and capacitor	DERWENT	
_	15	4380009.URPN.	USPAT	2003/05/05 16:53
· -	3	340/310.\$2 and (power adj2 strip)	USPAT;	
-	3	370/310.92 and (power adj2 surp)	,	2003/05/06 15:47
]		ЕРО; ЈРО;	
			DERWENT	
-	13	3909821.URPN.	USPAT	2003/05/06 15:13
_	56	340/310.\$2 and (power adj2 outlets)	USPAT;	2003/05/06 16:39
	<u> </u>	,	ЕРО; ЛРО;	
			DERWENT	
_	0	(powerline adj2 communication) and (power adj2 (strip surge)) and	USPAT;	2003/05/06 16:40
-	"			2003/03/06 16:40
		transmit and data	EPO; JPO;	
			DERWENT	
				2003/05/06 16:40
-	2	(powerline adj2 communication) and (power adj2 (strip surge))	USPAT;	2003/03/00 10.40
-	2	(powerline adj2 communication) and (power adj2 (strip surge))	USPAT; EPO; JPO;	2003/03/00 10.40
-	2	(powerline adj2 communication) and (power adj2 (strip surge))	EPO; JPO,	2003/03/00 10.40
-	_		EPO; JPO; DERWENT	
-	10	5689242.URPN.	EPO; JPO; DERWENT USPAT	2003/05/06 16:42
- -	_	5689242.URPN. ("2686297" "3942859" "4081208" "4111509" "4320938"	EPO; JPO; DERWENT	
- -	10	5689242.URPN. ("2686297" "3942859" "4081208" "4111509" "4320938" "4333072" "4390237" "4390868" "4432604" "4465333"	EPO; JPO; DERWENT USPAT	2003/05/06 16:42
- -	10	5689242.URPN. ("2686297" "3942859" "4081208" "4111509" "4320938" "4333072" "4390237" "4390868" "4432604" "4465333" "4545077" "4578573" "4654658" "4678264" "4721358"	EPO; JPO; DERWENT USPAT	2003/05/06 16:42
-	10	5689242.URPN. ("2686297" "3942859" "4081208" "4111509" "4320938" "4333072" "4390237" "4390868" "4432604" "4465333"	EPO; JPO; DERWENT USPAT	2003/05/06 16:42
-	10	5689242.URPN. ("2686297" "3942859" "4081208" "4111509" "4320938" "4333072" "4390237" "4390868" "4432604" "4465333" "4545077" "4578573" "4654658" "4678264" "4721358"	EPO; JPO; DERWENT USPAT	2003/05/06 16:42

Search History 11/2/04 5:07:28 PM Page 3

	687	(power near1 line) and communicat\$3 and modulat\$3 and frequency and	USPAT;	2004/11/01 15:40
-	087	carrier and signal and information and bandwidth	EPO; JPO;	2004/11/01 13:10
		carrer and signar and information and bandwidth	DERWENT	
_	136	((power near1 line) and communicat\$3 and modulat\$3 and frequency	USPAT;	2004/11/01 15:41
-	130	and carrier and signal and information and bandwidth) and (fsk	ЕРО; ЛРО;	200
		(frequency adj2 shift adj2 key))	DERWENT	
_	41	(((power near1 line) and communicat\$3 and modulat\$3 and frequency	USPAT;	2004/11/01 15:42
	'-	and carrier and signal and information and bandwidth) and (fsk	ЕРО; ЛРО;	
		(frequency adj2 shift adj2 key))) and harmonics	DERWENT	
_	1357	340/310.01	USPAT:	2004/11/02 09:41
			ЕРО; ЛРО;	
			DERWENT	
_	2	340/310.01 and (single adj2 modulation)	USPAT;	2004/11/02 09:51
			ЕРО; ЛРО;	
			DERWENT	
	0	340/310.01 and less and (ten adj2 hertz)	USPAT;	2004/11/02 09:51
		,	ЕРО; ЛРО;	
			DERWENT	
-	135	340/310.01 and (modulated adj2 signal)	USPAT;	2004/11/02 09:51
		, , ,	ЕРО; ЛРО;	
			DERWENT	
-	24	(340/310.01 and (modulated adj2 signal)) and ((power near1 line) adj2	USPAT;	2004/11/02 14:58
		frequency)	ЕРО; ЈРО;	
			DERWENT	
-	2	5581229.pn.	USPAT;	2004/11/02 14:58
			ЕРО; ЈРО;	
			DERWENT	
•	0	5581229.pn. and (resonant adj2 circuit)	USPAT;	2004/11/02 14:58
			ЕРО; ЈРО;	
			DERWENT	
-	1357	340/310.01	USPAT;	2004/11/02 14:58
			ЕРО; ЛРО;	
			DERWENT	
-	23	340/310.01 and (resonant adj2 circuit)	USPAT;	2004/11/02 14:59
			EPO; JPO;	
		(240/210.01 17 4 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2	DERWENT	2004/11/02 14 50
-	10	(340/310.01 and (resonant adj2 circuit)) and (voltage adj2 signal)	USPAT;	2004/11/02 14:59
			EPO; JPO;	
	1	<u> </u>	DERWENT	1